



ZHENGYI

INTELLIGENT TECHNOLOGY

河北正屹智能科技有限公司
HEBEI • CHINA

ZHENGYI

中国-河北正屹智能科技有限公司

China Hebei Zhengyi Intelligent Technology Co., Ltd

地址: 河北省武邑县经济开发区智能安防产业园

电话: 13383383995

WhatsApp: +8613623389335

网址: www.chzhengyi.com

邮箱: info@chzhengyi.com


Address: Intelligent Security Industrial Park, Economic
Development Zone, Wuyi County, Hebei Province

Mobile phone: 13383383995

WhatsApp: +8613623389335

Web site: www.chzhengyi.com

E-mail : info@chzhengyi.com





目录 Contents

厂景 目录 Factory Scenery and contents	01-02
保险柜 Safe	03-04
枪柜 Gun safe	05-06
防火柜 Fire safe	07-10
盛凌保险柜系列 Shengling safe	07-08
豪爵保险柜系列 Haojue safe	11-12
瀚海保险柜系列 Hanhai safe	13-14
致尚保险柜系列 Zhishang safe	15-16
密集柜 Serried cabinet	17-20
文件柜 filing cabinet	21-22
金库、金库门 Treasury door, treasury	23-24

Zhengyi Safe 保险柜

SAFE SERIES 安全与科技的结合
技术迭代 智享生活
Combining safety and technology Technology iteration, smart life



Safe

一个家诉说一个安心的梦想
从这一刻，正屹为您开启『安心』梦想之旅
A home tells a reassuring dream From this moment,
Zhengyi will open the "peace of mind" dream journey for you



型号model	规格size (cm)	重量weight(kg)
Se60	60*40*34	24
ZQ60	60*37*30	21.5
ZQ70	38*42*70	27.6
75SQ	75*38*36	34.7
75SA	75*38*36	31.9
LS80	80*43*38	34.3
ZQ80	80*43*38	37.7
80T	80*43*38	33.9
80S	80*38*42	35.8
90S	90*45*40	37.7

Gun safe 枪柜

SAFE SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



型号model	规格size (mm)	重量weight(kg)
1	250*220*1320	23
2	300*280*1380	30.8
3	300*280*1380	30.8
4	350*280*1380	31.6
5	350*280*1380	31.6
6	300*350*1450	35.5

该系列可定制 This product series can be customized

Fire safe防火柜

SAFE SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



01 曜石黑



02 优雅白



智能指纹锁面板
Smart Fingerprint Lock Panel



合金把手
alloy handle



隔板款
Partition style



多层钢铸箱体
加厚门板抗冲击
20mm加厚实心门板
「加厚门板」采用多层合金钢铸造，防钻防撬更为坚固



内置摇表装置
Built-in shaking device



摇表款
Watch winder

型号model	规格size (cm)	重量weight 隔板款/摇表款(kg)
65	65*50*42	73/90
85	85*60*50	115/130
100	100*60*53	139/170
120	120*60*53	160/195
150	150*65*56	202/280
180	180*75*65	353/390

Fire safe 防火柜

SAFE SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



304X400X330mm 28kgs
344X486X350mm 44kgs
344X486X393mm 50kgs



400X304X330mm 28kgs
486X344X350mm 44kgs
486X344X393mm 50kgs



576X460X525mm 105kgs
613X512X530mm 125kgs
693X512X550mm 140kgs



1. Newspapers are pasted to the wall of the safe. Temperature tracking equipments are also settled inside.



5. After given time (1 or 2 hours), stop heating the safe, and let the safe cool down all by itself.



2. Ready to get tested in the burner.




6. Checking the newspapers inside. Confirm all the words are readable.



3. Heat the safe in accordance with JIS temperature curve. Meanwhile, reserve the condition of the safe.



4. Tracking real-time temperature inside the safe.



743X612X575mm 175kgs
843X612X575mm 195kgs
943X612X575mm 215kgs



1143X612X575mm 260kgs
1180X690X635mm 305kgs
1300X690X635mm 335kgs



1500X755X635mm 40kgs
1600X755X635mm 435kgs



594X400X330mm 56kgs
666X486X350mm 88kgs
666X486X393mm 100kgs



779X460X525mm 120kgs
816X512X530mm 142kgs
896X512X550mm 160kgs



945X1090X715mm 415kgs
1300X1090X715mm 540kgs
1660X1090X715mm 660kgs

Shengling Safe 盛凌保险柜

SAFE SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



黑色咖色可选
Available in black and brown



密码内门
password inner door



可调节隔板
adjustable partition



电池盒
battery case

CSP认证系列产品，门采用加厚10mm实心钢板，柜体采用6mm实心钢板，加厚钢板让您的安全更有保障。
The CSP certified series products feature doors made of 10mm thick solid steel plates and cabinets made of 6mm thick solid steel plates, providing enhanced safety and security.

型号model	产品颜色(colour)	规格size (cm)	重量weight(kg)
SLFDG-SF50	黑色/咖色 BLACK / BROWN	420*350*500	60
SLFDG-SF58	黑色/咖色 BLACK / BROWN	430*380*580	70
SLFDG-SF67	黑色/咖色 BLACK / BROWN	460*420*670	90
SLFDG-SF77	黑色/咖色 BLACK / BROWN	480*450*770	105
SLFDG-SF87	黑色/咖色 BLACK / BROWN	500*480*870	120
SLFDG-SF100	黑色/咖色 BLACK / BROWN	600*520*1080	175
SLFDG-SF100S	黑色/咖色 BLACK / BROWN	600*520*1080	175
SLFDG-SF120	黑色/咖色 BLACK / BROWN	600*510*1280	230
SLFDG-SF150	黑色/咖色 BLACK / BROWN	680*570*1580	320
SLFDG-SF180	黑色/咖色 BLACK / BROWN	740*650*1800	350
SLFDG-SF180S	黑色/咖色 BLACK / BROWN	740*650*1800	360
SLFDG-SF180D	黑色/咖色 BLACK / BROWN	930*630*1880	450



滑盖指纹电子锁
Slide-type fingerprint electronic lock



应急钥匙插孔
Emergency key socket



指纹触摸屏
fingerprint touchscreen

扳手
wrench

Haojue Safe 豪爵保险柜

SAFE SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life

一个家诉说一个安心的梦想
从这一刻，正屹为您开启“安心”梦想之旅

A home tells a reassuring dream From this moment,
Zhengyi will open the "peace of mind" dream journey for you



咖色与黑色两种颜色可选
Available in black and brown

隐于型，精于芯，只为您守护！
Hidden in shape, refined in core, only for your protection!



滑盖指纹电子锁
Slide-type fingerprint electronic lock



精美内饰
exquisite interior



分割式储物抽屉
Divided storage drawer



CSP认证系列产品，门采用加厚10mm实心钢板，柜体采用6mm实心钢板，加厚钢板让您的安全更有保障。
The CSP certified series products feature doors made of 10mm thick solid steel plates and cabinets made of 6mm thick solid steel plates, providing enhanced safety and security.

型号model	产品颜色(colour)	规格size (cm)	重量weight(kg)
HJFDG-SF50	黑色/咖色 BLACK / BROWN	42*36*58	70
HJFDG-SF60	黑色/咖色 BLACK / BROWN	46*42*67	90
HJFDG-SF70	黑色/咖色 BLACK / BROWN	48*45*77	105
HJFDG-SF80	黑色/咖色 BLACK / BROWN	50*48*87	125
HJFDG-SF100	黑色/咖色 BLACK / BROWN	60*51*108	175

Hanhai Safe 瀚海保险柜

SAFE / SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



指纹电子锁
Fingerprint electronic lock



机械密码锁
Mechanical combination lock



领航舵扳手
Navigation rudder wrench



皮纹内饰
Grained leather interior



储物抽屉
Storage drawer



收纳筐
storage basket



防撬锁栓
anti-pry lock bolt



型号model	产品颜色(colour)	规格size (cm)	重量weight(kg)
SLFDG-SF50	黑色/咖色 BLACK / BROWN	40*36*60	60
SLFDG-SF60	黑色/咖色 BLACK / BROWN	46*40*80	90
SLFDG-SF70	黑色/咖色 BLACK / BROWN	50*45*100	120

Zhishang Safe 致尚保险柜

SAFE / SERIES

安全与科技的结合
技术迭代 智享生活

Combining safety and technology Technology iteration, smart life



密码二门
Password Two Doors



可调节隔板
adjustable partition




防撬锁栓
anti-pry lock bolt

型号model	产品颜色(colour)	规格size (cm)	重量weight(kg)
ZSBGX-SF50	黑色/咖色 BLACK / BROWN	40*36*50	20
ZSBGX-SF60	黑色/咖色 BLACK / BROWN	40*36*60	28
ZSBGX-SF70	黑色/咖色 BLACK / BROWN	42*39*70	44
ZSBGX-SF80	黑色/咖色 BLACK / BROWN	48*42*80	48
ZSBGX-SF80S	黑色/咖色 BLACK / BROWN	44*41*80	48
ZSBGX-SF100	黑色/咖色 BLACK / BROWN	50*45*100	62
ZSBGX-SF100S	黑色/咖色 BLACK / BROWN	50*45*100	65
ZSBGX-SF120	黑色/咖色 BLACK / BROWN	60*56*120	106
ZSBGX-SF120S	黑色/咖色 BLACK / BROWN	56*52*120	98
ZSBGX-SF150	黑色/咖色 BLACK / BROWN	60*56*150	120
ZSBGX-SF150S	黑色/咖色 BLACK / BROWN	60*56*150S	128
ZSBGX-SF180	黑色/咖色 BLACK / BROWN	70*60*180	210
ZSBGX-SF180S	黑色/咖色 BLACK / BROWN	70*60*180	210
ZSBGX-SF180D	黑色/咖色 BLACK / BROWN	90*60*180	230


档案实体库房效果图

Effect drawing of the physical archives repository



智慧档案室管理总平台

Smart archives management platform



智能密集柜

Intelligent Compact Shelving

智能型电脑密集架是我公司自行研制开发的集手动、电动、电脑控制于一体的最新机电一体化产品，它具有结构先进、功能多样、操作简便的特点。由电脑控制系统、电子控制系统和机械传动控制系统三部分组成，技术水平居国内领先。三种控制方式各自独立，互不影响，且互相保护。并以人性化的设计为理念，智能化控制系统与网络管理模式为基础，实现宏观自动化架体控制、自动人体保护，资料的无序存放有序管理，并引导资料提取及网络信息资源的共享。电脑多功能密集架的材质具有防酶、防蛀、防尘、防鼠、防盗、防火的功能。

The intelligent computer intensive rack is the latest opto mecha-tronics integrated product developed by our company, which integrates manual, electric, and computer control. It has the characteristics of advanced structure, diverse functions, and easy operation. It consists of three parts: computer control system, electronic control system, and mechanical transmission control system, and its technical level is leading in China. The three control methods are independent of each other, do not affect each other, and protect each other. And based on the concept of humanized design, intelligent control system and network management mode, it realizes macro automation frame control, automatic human body protection, orderly storage and management of data, and guides data extraction and sharing of network information resources. The material of the computer multifunctional dense rack has the functions of enzyme resistance, moth resistance, dust prevention, rodent resistance, theft prevention, and fire prevention.




▲ 智能密集柜 Intelligent Compact Shelving



▲ 智能密集柜 Intelligent Compact Shelving

手动密集柜结构图

Manual intensive cabinet



密集柜技术参数表

Technical parameter table of dense cabinet

规 格				技术参数						附注说明
结构型式	架宽	节距	架高	层数	层高	节数	架长	轨道数	搁板承重	
双面活动架 (中列)	500	900	2400	5	330	2	1900	2	资料架 ≥ 60kg	1、摇把（控制钮）距地面高度为 1000mm。 2、库房地面承重要求 ≥ 400kg/m ² 。 达不到要求的，可采用工字钢或槽钢进行加固。 3、特殊情况可按客户要求定制。
	550			6	330	3	2800	2		
	600			7	280	4	3700	3		
	650			8	205	5	4600	3		
	700			12	155	6	5500	4	货架 ≥ 80kg	
	800					7	6400	4		
单面边架 (侧列)	350					8	7300	5		
	400					9	8200	6		
	450					10	9100	6		

说明：1、由本公司根据档案库平面图、档案资料的类型和用户要求提供 CAD 平面设计方案。

2、订货代码说明：RHM—C—500 × 900 × 2400 — 5 — 6 — 18

手动式 C 型 架体宽×节长×高 节数 层数 列数

手动密集柜

Manual intensive cabinet

- ★制作精良、美观大方
- ★灵活、方便调节布局
- ★彩用优质冷轧钢板及零配件
- ★先进的磷化处理、静电粉末喷涂
- ★引进国外自动数控流水线生产设备及技术
- ★Well made, beautiful and generous
- ★It is flexible and convenient to adjust the layout
- ★High quality cold rolled steel sheet and spare parts
- ★Advanced phosphating treatment, electrostatic powder spray
- ★Introduction of foreign automatic numerical control assembly line production equipment and technology



▲ 手动密集柜 Manual intensive cabinet



▲ 智能密集柜 Manual intensive cabinet

Cabinet series 文件柜

由内而外 品质生活

Quality of life from the inside out
文件柜储存设计合理，选料考究，工艺精湛，功能完善，令各种文件分门别类，易于存取，给您不一样的使用体验。
The storage design of the filing cabinet is reasonable, the selection of materials is exquisite, the craftsmanship is exquisite, and the functions are complete, allowing various documents to be classified and easily accessed, giving you a different user experience.

产品六大优势

 加厚钢板 SIMPLE	 健康环保 SIMPLE	 静电喷涂 SIMPLE
 优质锁具 SIMPLE	 容易清洁 SIMPLE	 支持定制 SIMPLE



▲ 文件柜实景
Realistic view of file cabinet



▲ 文件柜实景
Realistic view of file cabinet



▲ 文件柜实景
Realistic view of file cabinet



001- 组合窄边柜
1850x420/450x980mm



002- 中二斗窄边柜
1850x390x900mm



003- 通体玻璃对开柜
1850x390x900mm



004- 高低对开玻璃柜
1850x390x900mm

正屹金库门、金库、避难所定制

Customization of Zhengyi Treasury Gate, Treasury, and Refuge

THE VAULT DOOR SERIES

该系列多功能豪华不锈钢金库门采用国际最先进的技术及其工艺制造生产。该款金库门是目前国内市场最为高档的一款，它集防水、防火、防撬、防火焰切割、防TNT爆破等功能于一身，装配美国进口（UL认证）机械密码锁和高档电脑指纹锁，达到国标中的最高级别。

This series of multifunctional luxury stainless steel vault doors is manufactured using the most advanced international technology and processes. This gold vault door is currently the most high-end one in the domestic market. It integrates functions such as waterproof, fire-proof, anti pry, anti flame cutting, and anti TNT explosion. It is equipped with a US imported (UL certified) mechanical password lock and a high-end computer fingerprint lock, reaching the highest level in the national standard



001- 不锈钢金库门 (Stainless steel vault door)



四锁联动互锁
Four lock linkage interlock

开启三把密码锁中任意两把，再把人脸纹密码锁开启，即可打开金库门，消除了由于某锁意外原因造成的不能正常开启金库门带来的麻烦。
Open any two of the three password locks, and then open the fingerprint password lock to open the vault door, eliminating the trouble caused by the inability to open the vault door due to unexpected reasons of a certain lock.



002- 不锈钢金库门 (Stainless steel vault door)



003- 碳钢金库门 (Carbon steel vault door)



004- 碳钢金库门 (Carbon steel vault door)



005- 不锈钢金库 (Stainless steel vault)



006- 碳钢金库门 (Carbon steel vault)

产品介绍
Product Introduction

采用进口的高稳定性的微电脑芯片及客户可编程专利技术；
一次性箱体成型的工艺，所有产品箱体喷涂使用国际环保要求的优质无铅塑粉；
采用国际标准ADI数字按键和3-6位密码及磁卡开门系统；
大尺寸LED操作信息显示包括: 输入信息提示，电量高低指示，编程状态以及开关门记录等等；
两套可选的组合密码系统: 专供客人使用的个人密码和酒店管理人员的超级密码；
两套独立的磁卡系统: 客人使用的个人密码和酒店管理人员则使用管理磁卡对保管箱进行设置采用高效专用的微电脑齿轮变速系统作为保管箱的开关门机构
箱体材料: 优质A3钢板，板5mm厚
低电量消耗设计，4节1.5伏的5号碱性电池可以维持使用一年以上
可以选择酒店管理部门专用的电脑解码器和计算机管理软件，配备紧急；
打印功能: 打印至少200条记录
管理控制1: 遗忘密码状态下的强制开锁(机械钥匙)
管理控制2: (密码和程序都是由酒店设计)2组管理密码
管理控制3: 没有电池的打开(当保险箱没有电能时解码器机械钥匙)
机械钥匙: 有
颜色: 黑色、象牙色

Use imported high steady microcomputer chip and PLC technology
Case moulding ceaft once, all paint are high giality non plunbum moulding powder accordingwith international requirement
Use inteandard standrd ADI digital buttons and 3-6 bits password and card opening andclosing door system
Big size LED display including: input message reminder, cell capacity high and low reminderprogramming status and opening and closing door records, etc
Two sets of selectable password system: personal password special for clients and superpassword for hotel managent
Two sets of independent card system: personal password for clients use and hotel managementmangement setting depository locker by using card
Use high efficient special micro-motor gear speed-change system as the mechanism to openor close the door of depository locker
Box mater ial : high quality A3 steel plate, 5 mm door
Low electric quantity consurption design, 4pcs of 1.5 V5#alkal ine battery, can be used morethan 1 yesr
Can choose special computer decoder and managementsoft in case of emergency
Print function: can peint 200 records at least
Management control1: enforce to open the lock when forgetting password (Mechanical key
Management control2: password and programming are both des igned by hotel, 2 sets ofmanagement password
Management control3: open the lock when there is on electr icity
Mechanical key : have
Colour : black ivory

产品规格
Safekeeping hotel intelligent management system (optional)



ZY2042C
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042S
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2035J1-B
尺寸: 200X(W)350X(D)250MM
可定制尺寸
颜色: 黑/象牙白



内置LED照明灯 (选配)
内置笔记本充电插座 (选配)

保管箱酒店智能管理系统 (选配)
Safekeeping hotel intelligent management system (optional)

通过USB接口链接CEU简称解码器或手持器，保管箱读取开箱记录数据，再用USB链接电脑下载这些数据，能浏览、查询、打印保管箱最近200次开门时间和开门方式。

CEU可设置密码开门，可设置日期和时间，也可用外接电源在保管箱电 池耗尽时应急开启智能保管箱记录了酒店客人、服务员、管理人员对保管箱的每一次操作，这些操作信息储存于保管箱芯片内，具有唯一性且不可更改

CEU decoder for short or handheld device, via USB linkSafekeeping read out of the record data, then use theUSB link to the computer Download the data can browsequery, print,the most safe boxAlmost 200 times timeand way to open the door to open the door.

CEU can set the password to open the door, can set thedate and time, too The power converter is available insafekeeping electric emergency open pool runs out.Smartsafekeeping recorded the hotel guests, the waiter, theadministrator Member for safekeeping each operation,the operation inforation storage Within the safekeepingchip has the uniqueness and more change.

产品规格
Safekeeping hotel intelligent management system (optional)



ZY2042B
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042D
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042Y 触摸屏
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042F1
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白

产品介绍
Product Introduction

采用进口的高稳定性的微电脑芯片及客户可编程专利技术;
一次性箱体成型的工艺, 所有产品箱体喷涂使用国际环保要求的优质无铅塑粉;
采用国际标准ADI数字按键和3-6位密码及磁卡开门系统;
大尺寸LED操作信息显示包括: 输入信息提示, 电量高低指示, 编程状态以及开关门记录等等;
两套可选的组合密码系统:专供客人使用的个人密码和酒店管理人员的超级密码;
两套独立的磁卡系统:客人使用的个人密码和酒店管理人员则使用管理磁卡对保管箱进行设置采用高效专用的微电脑齿轮变速系统作为保管箱的开关门机构
箱体材料:优质A3钢板, 板5mm厚
低电量消耗设计, 4节1.5伏的5号碱性电池可以维持使用一年以上
可以选择酒店管理部门专用的电脑解码器和计算机管理软件, 配备紧急;
打印功能:打印至少200条记录
管理控制1:遗忘密码状态下的强制开锁(机械钥匙)
管理控制2:(密码和程序都是由酒店设计)2组管理密码
管理控制3:没有电池的打开(当保险箱没有电能时解码器机械钥匙)
机械钥匙:有
颜色:黑色、象牙色

Use imported high steady microcomputer chip and PLC technology
Case moulding ceaft once, all paint are high galy ity non plunbum mouding powder accordingwith international requirement
Use inteandard standrd ADI digital buttons and 3-6 bits password and card opening andclosing door system
Big size LED display including: input message reminder, cell capacity high and low reminderprogramming status and opening and closing door records, etc
Two sets of selectable password system: personal password special for clients and superpassword for hotel managent
Two sets of independent card system:personal password for clients use and hotel managementmangement setting depository locker by using card
Use high efficient special micro-motor gear speed-change system as the mechanism to openor close the door of depository locker
Box mater ial :high quality A3 steel plate, 5 mm door
Low electric quantity consurption design, 4pcs of 1.5 V5#alkal ine battery, can be used morethan 1 year
Can choose special computer decoder and managementsoft in case of emergency
Print function:can pint 200 records at least
Management control1:enforce to open the lock when forgetting password (Mechanical key
Management control2:password and programming are both des igned by hotel, 2 sets ofmanagement password
Management control3:open the lock when there is on electr icity
Mechanical key : have
Colour :black, ivory

产品规格
Safekeeping hotel intelligent management system (optional)



ZY2042X-I
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042C-1
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2035J1-I
尺寸: (H) 200X(W)350X(D)250MM
可定制尺寸
颜色: 黑/象牙白



内置LED照明灯 (选配)
内置笔记本充电插座 (选配)

保管箱酒店智能管理系统 (选配)
Safekeeping hotel intelligent management system (optional)

通过USB接口链接CEU简称解码器或手持器, 保管箱读取开箱记录数据, 再用USB链接电脑下载这些数据, 能浏览、查询、打印保管箱最近200次开门时间和开门方式。
CEU可设置密码开门, 可设置日期和时间, 也可用外接电源在保管箱电 池耗尽时应急开启智能保管箱记录了酒店客人、服务员、管理人员对保管箱的每一次操作, 这些操作信息储存于保管箱芯片内, 具有唯一性且不可更改
CEU decoder for short or handheld device, via USB linkSafekeeping read out of the record data, then use theUSB link to the computer Download the data can browsequery, print,the most safe boxAlmost 200 times timeand way to open the door to open the door.
CEU can set the password to open the door, can set thedate and time, too The power converter is available insafekeeping electric emergency open pool runs out.Smartsafekeeping recorded the hotel guests, the waiter, theadministrator Member for safekeeping each operation,the operation inforation storage Within the safekeepingchip has the uniqueness and more change.

产品规格
Safekeeping hotel intelligent management system (optional)



ZY2042J1
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042A
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY2042J2
尺寸: (H) 200X (W) 420X (D) 370MM
重量: 11kg
颜色: 黑/象牙白



ZY1840F1
尺寸: (H) 180X(W)400X(D)380MM
重量: 11kg
颜色: 黑/象牙白

产品介绍
Product Introduction

采用进口的高稳定性的微电脑芯片及客户可编程专利技术;
一次性箱体成型的工艺, 所有产品箱体喷涂使用国际环保要求的优质无铅塑粉;
采用国际标准ADI数字按键和3-6位密码及磁卡开门系统;
大尺寸LED操作信息显示包括: 输入信息提示, 电量高低指示, 编程状态以及开关门记录等等;
两套可选的组合密码系统:专供客人使用的个人密码和酒店管理人员的超级密码;
两套独立的磁卡系统:客人使用的个人密码和酒店管理人员则使用管理磁卡对保管箱进行设置采用高效专用的微电脑齿轮变速系统作为保管箱的开关门机构
箱体材料:优质A3钢板, 板5mm厚
低电量消耗设计, 4节1.5伏的5号碱性电池可以维持使用一年以上
可以选择酒店管理部门专用的电脑解码器和计算机管理软件, 配备紧急;
打印功能:打印至少200条记录
管理控制1:遗忘密码状态下的强制开锁(机械钥匙)
管理控制2:(密码和程序都是由酒店设计)2组管理密码
管理控制3:没有电池的打开(当保险箱没有电能时解码器机械钥匙)
机械钥匙:有
颜色:黑色、象牙色

Use imported high steady microcomputer chip and PLC technology
Case moulding ceaft once, all paint are high gial ity non plunbum moulding powder accordingwith international requirement
Use inteandard standrd ADI digital buttons and 3-6 bits password and card opening andclosing door system
Big size LED display including: input message reminder, cell capacity high and low reminderperprogramming status and opening and closing door records, etc
Two sets of selectable password system: personal password special for clients and superpassword for hotel managent
Two sets of independent card system:personal password for clients use and hotel managementmangement setting depository locker by using card
Use high efficient special micro-motor gear speed-change system as the mechanism to openor close the door of depository locker
Box mater ial :high quality A3 steel plate, 5 mm door
Low electric quantity consurption design, 4pcs of 1.5 V5#alkal ine battery, can be used morethan 1 yesr
Can choose special computer decoder and managementsoft in case of emergency
Print function:can peint 200 records at least
Management control1:enforce to open the lock when forgetting password (Mechanical key
Management control2:password and programming are both des igned by hotel, 2 sets ofmanagement password
Management control3:open the lock when there is on electr icity
Mechanical key : have
Colour :black, ivory



产品规格
Safekeeping hotel intelligent management system (optional)



ZY1541S
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白



ZY1541ST
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白



内置LED照明灯 (选配)
内置笔记本充电插座 (选配)

保管箱酒店智能管理系统 (选配)
Safekeeping hotel intelligent management system (optional)

通过USB接口链接CEU简称解码器或手持器, 保管箱读取开箱记录数据, 再用USB链接电脑下载这些数据, 能浏览、查询、打印保管箱最近200次开门时间和开门方式。

CEU可设置密码开门, 可设置日期和时间, 也可用外接电源在保管箱电 池耗尽时应急开启智能保管箱记录了酒店客人、服务员、管理人员对保管箱的每一次操作, 这些操作信息储存于保管箱芯片内, 具有唯一性且不可变更

CEU decoder for short or handheld device, via USB linkSafekeeping read out of the record data, then use theUSB link to the computer Download the data can browsequery, print,the most safe boxAlmost 200 times timeand way to open the door to open the door.

CEU can set the password to open the door, can set thedate and time, too The power converter is available insafekeeping electric emergency open pool runs out.Smartsafekeeping recorded the hotel guests, the waiter, theadministrator Member for safekeeping each operation,the operation inforation storage Within the safekeepingchip has the uniqueness and more change.

产品规格
Safekeeping hotel intelligent management system (optional)



ZY1541ST-I
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白



ZY1541F
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白



ZY1541SF
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白



ZY1541X
尺寸: (H) 150X(W)410X(D)350MM
重量: 12kg
颜色: 黑/象牙白

锁具说明
Instruction for lock

- 1.本设计采用国际通用的美国UL标准锁，双锁头，主客同时开启，在主钥匙未入之前，客钥匙无法插入，以保证安全；门开着时客钥匙无法拔出，以防钥匙丢失。

2.该锁主客钥匙之间的中心距离为47mm，可避免在转动一把钥匙时手被另一把钥匙划伤的事，一般的锁由于体积偏小，两把钥匙之间的距离33mm左右。

1.This design uses the international general American UL standard lock,whih hasdouble cylinders.The main and subsidiary keys can open the lock at the same timeBefore the main key can not be draw out be draw out when the door is opening toavoid losing the key.

2. The distance between main and subsidiary keys is 47mm,it assures that yourfinger will not be scratched by the other key when you rotate the one.For generallock the vilume is a little small,so the distance of the two keys is about 33mm.

技术说明
Technical instruction

- 1.颜色和包装:白灰，整箱经除锈，去油，磷化等九道工序后喷塑处理，箱体用塑料纸防潮及双层硬瓷瓦楞纸箱包装。

2.坚固:门板采用5mm、箱体采用2mm、内盒08mm优质冷轧钢

3.耐用: 经去油、除锈、磷化等九道工序后表面静电喷塑。

4.安全:美国UL安全认证专用高精度双钥匙锁，开启灵活，手感舒适。总钥匙和客户钥匙币徐同时方可开启，让客户完全放心，

5.精致:小门配内盒，内盒可按挂锁，内盒及大门底部均铺贴红绒布。

1. color and packing:white-gray,the entire box through 9 steps of craft such as dustremoving processing,oil removing,phosphating processing,spurts models processinoan so on.The safe box is packing by moisture-proof plastic paper and two-layercorrugated paper.

2.Solid:The door panel adopts 5mm thick high-qualitycold rolled sheet,with 2mm thick bix and 0.8mm thickinner box.

3.Durable:electrostatic plastic-spraying on surfaceafter deciling,derudting,phosphating ect.Niceprocesses.

4.Safe:special-purpose high-precision dual-kel locksapproved by US UL safety standards,flexible whenopening,comfortable feel.The lock can onlybe openedby using the key at the reception and the key by thecustomer simultaneously so thel the customer can beat ease completely.

5.Exptsite:small door with inner box,The inner boxcan be padocked. The red flannel is the inner boxat the bottom of the big door.



型号	规格 (WxHxD)	大门 (WxH)	中门 (WxH)	小门 (WxH)	重量 (Kg)
ZY-6	W450*H720*D400	W410*H200门数2		W195*H110门数4	53
ZY-8A	W680*H950*D400	W310*H200门数8			88
ZY-8B	W450*H760*D400	W410*H185门数1	W410*H125门数 1	W195*H100门数6	61



产品具体尺寸均可根据用户要求设计定制
The Specifications Of Our Products Can Be CustomizeedAccording To The RequiremenysOf Customers.

型号	规格 (WxHxD)	大门 (WxH)	中门 (WxH)	小门 (WxH)	重量 (Kg)
ZY-9	W450*H920*D400	W410*H200门数1	W370*H150门数 2	W195*H100门数6	72
ZY-10	W351*H492*D500	W150*H75门数10			40
ZY-14	W800*H930*D450	W370*H220门数 2	W370*H150门数 4	W170*H110门数8	120
ZY-16	W800*H1050*D450	W370*H220门数 2	W370*H150门数 6	W170*H110门数8	134
ZY-18A	W800*H1050*D450	W370*H220门数 2	W370*H150门数 4	W170*H110门数12	161
ZY-18B	W800*H1050*D450	W370*H200门数 2	W370*H150门数 8	W170*H110门数8	167
ZY-22	W800*H1480*D450	W370*H200门数 4	W370*H150门数 6	W170*H110门数12	193
ZY-28	W800*H1500*D450	W370*H200门数 2	W370*H150门数 6	W170*H110门数20	216
ZY-33	W1190*H1220*D450	W370*H220门数 3	W370*H150门数 6	W175*H110门数24	239
ZY-36	W1190*H1390*D450	W370*H220门数 3	W370*H150门数 9	W170*H110门数24	261

产品简介
Product Introduction

- 1.门板采用10mm高硬化防磁SUS304不锈钢防磁板经进口镭射机切割而成。

2.每一箱门配有特制号码牌，美观，鲜明易于辨认和更换，箱号可以酒店或者银行指定顺序编列。

3.铰链为高硬化铝合金制成，表面经特殊氧化，耐蚀处理，具有内部闭锁功能，可防止由外面撬开。

4.保管箱为隐藏铰链型，每扇门可开145度便于拿取。

5.保管箱外框及隔板前缘，采用平面隐藏式，特殊表面耐蚀处理，美观大方。

6.锁具采用美国UL标准锁，双锁头，主客同时开启，在主钥匙未插入之前，客钥匙无法插入，以保证安全，门开着时客钥匙无法拔出，以防钥匙丢失。

7.保管箱箱体采用2mm优质冷轧钢板经各类模具冲压成型，表面经除锈，去油，磷化等九道工序后喷塑处理。

8.保管箱每一个门内均附有一个内盒，采用0.6mm优质冷轧钢板冲压制成，表面整体喷塑处理。

9.保管箱箱体四周包覆不锈钢装饰板，采用1mmSUS304不锈钢板压制而成。

10.采用模组式箱体，可依酒店银行要求箱体比率调整，安装迅速。
1. The door panel is made of 10mm high hardening anti magnetic SUS304 stainless steel anti magnetic plate cut by an imported laser machine.

2. Each box door is equipped with a special number plate, which is beautiful, distinct, and easy to identify and replace. The box numbers can be listed in the order specified by the hotel or bank.

3. The hinge is made of high hardening aluminum alloy, with a surface treated with special oxidation and corrosion resistance, and has an internal locking function to prevent prying open from the outside.

4. The storage box is a hidden hinge type, and each door can be opened 145 degrees for easy access.

5. The outer frame of the storage box and the leading edge of the partition are flat hidden, with a special anti-corrosion surface treatment, which is beautiful and elegant.

6. The lock adopts the American UL standard lock with dual locks, allowing both the host and guest to open simultaneously. The guest key cannot be inserted until the master key is inserted to ensure safety. The guest key cannot be removed when the door is open to prevent key loss.


7. The storage box body is made of 2mm high-quality cold-rolled steel plate, which is stamped and formed by various molds. The surface undergoes nine processes such as rust removal, oil removal, and phosphating before being sprayed with plastic.

8. Each door of the storage box is equipped with an inner box, which is made of 0.6mm high-quality cold-rolled steel plate stamped and has an overall surface spray treatment.

9. The storage box body is surrounded by stainless steel decorative plates, which are pressed from 1mm SUS304 stainless steel plate.


10. Adopting modular box, the box ratio can be adjusted according to the requirements of the hotel bank, and installation is fast.

产品具体尺寸均可根据用户要求设计定制
The Specifications Of Our Products Can Be Customized According To The Requirements Of Customers.



豪华不锈钢贵重物品保管箱内铰链系列
Luxury stainless steel precious item storage box hinge series

客户可根据以下模块任意组合也可以设计定制
Customers can design any combination can also be customized according to the following module



- 内盒:优质冷轧板冲压点焊制成，表面喷塑;上盖四分之三可打开。内部静电喷塑并铺有绒布，端部有拉柄，可按挂锁。

inner box: made by stamping and spot welding high-quality cold-rolled sheet, plastic-sprayed surface, 3/4 of the upper cover be opened. Electrostatic plastic-sprayed and flannel inside the box, with handles at the ends which can be padlocked.
- 门板:10mm厚SUS304防磁全不锈钢板制作，表面丝纹处理，平整光滑，质感高贵，序号文字用电脑雕刻技术。

Door panel: made by 10mm thick SUS304 antimagnetic pure stainless steel plate. Silking treatment surface, neat and smooth, with elegant texture. The serial number is carved by computer techniques.
- 锁具:美国UL安全认证专用高精度双钥匙锁，开启灵活，手感舒适。总钥匙和客户钥匙必须同时方可开启，让客户完全放心。

Locks: special-purpose high-precision dual-key locks approved by US UL safety standards flexible when opening comfortable feel. The lock can only be opened by using the key at the reception and the key kept by the customer simultaneously so that the customer can be at ease completely.
- 工作台板:便于用户存放物品时搁置内盒。采用轻推即弹出式机构，外表用不锈钢装饰，开启平稳。灵活，用半轻推即复位。

bolster surface: it is convenient for users to lay up the inner boxes when storing things. It adopts jogging, namely pop-up structure, decorated by stainless steel outside. Smooth and flexible when opening, you can reset it just by jogging after use.